

Magnus



EN 16005

ANSI 156.19

UL 325




Motorized hinge & gate closer

For pedestrian gates

MAGNUS is a motorized gate closer and hinge in one, designed for the automation of pedestrian gates. The brushless and reversible motor is insensitive to unpredictable pedestrian behaviour, and operates in low-energy mode. The settings and access control can be configured via an intuitive app. Includes lower hinge and compact connection box.





Magnus

Motorized hinge & gate closer

For pedestrian gates

The MAGNUS motorized gate closer is specifically designed for pedestrian gates up to 5 ft and 440 lbs.

MAGNUS has a brushless motor specially designed for semi-manual or fully automated outdoor use.

What makes it special?

- Safe, reliable operation thanks to low-energy speed control and integrated obstacle detection
- Gate operator and hinge in one with integrated circuit board, input/output connectors and external power supply
- Easy setup with free mobile app



Features

Gate type	Pedestrian swing gates Maximum width: 5 ft Maximum weight: 440 lbs
Profile	Post profiles from 2-3/8" Gate profiles from 1-9/16"
Material	Housing: anodised aluminum
Opening angle	Up to 180°
Mounting	Quick-Fix
Installation	Installation on left or right turning gates Flush surface installation
Motor torque	Maximum 100Nm
Power supply	110-240 V AC
Weather conditions	-22°F ⇒ +158°F
Color	RAL9005 SILV
Warranty	2 years 3 years (application registration)
Tested	500K cycles