


PART #	COLOR
CH200FR-BK	BLACK

		REVISIONS		
ECR/DCR	REV.	DESCRIPTION	DATE	APPD
-	-	INITIAL RELEASE	05-29-24	-



PACKAGING INSTRUCTIONS



POLYBAG CONTAINING:

- (2) HINGE ASSEMBLIES
- (2) GATE SIDE BACK PLATES
- (2) POST SIDE BACK PLATES
- (2) GATE SHIMS - 1-5/8"
- (2) FENCE SHIMS - 2-3/8"
- (2) FENCE SHIMS - 2-5/8"
- (2) FENCE SHIMS - 2-7/8"
- (1) INSTRUCTION SHEET
- (1) WARRANTY SHEET

POLYBAG CONTAINING:

- (1) ADJUSTMENT WRENCH
- (8) 1/4" WASHERS
- (8) 1/4"-20 ACORN NUTS
- (12) #10 X 1.25" HEX WASHER HD SD SCREWS



MATERIAL: ZINC-PLATED STEEL



DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/16"$ ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$ TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005		SELF-CLOSING ADJUSTABLE HINGE FOR ROUND POSTS	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NATIONWIDE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NATIONWIDE INDUSTRIES IS PROHIBITED.		SIZE A DWG. NO. CS--CH200FR	REV. -
SCALE: 1:2 WEIGHT:		SHEET 1 OF 1	




PART #	COLOR	LOCK KIT
CL-7240-L-BK	BLACK	YES
CL-7240-BK	BLACK	NO

REVISIONS			
ECR/DCR	REV.	DESCRIPTION	DATE APPD
-	-	INITIAL RELEASE	05-24-24 -



CL-7240-L-BK

CL-7240-BK







PART #	GAP MIN (IN)	GAP MAX (IN)	TOTAL ADJ (IN)
CL-7240	1"	2.24"	1.24"

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL $\pm 1/16"$
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
NATIONWIDE INDUSTRIES. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
NATIONWIDE INDUSTRIES IS PROHIBITED.

**TOP PULL
GRAVITY LATCH
ZIP-LATCH®**

SIZE A	DWG. NO.	REV. -
SCALE: 1:4	WEIGHT:	SHEET 1 OF 2



PACKAGING INSTRUCTIONS

POLYBAGGED SET WITH LABEL CONTAINING:

- (1) LATCH ASSEMBLY
- (1) STRIKER ASSEMBLY
- (1) INSTRUCTION SHEET
- (1) WARRANTY SHEET
- (1) POLYBAG CONTAINING:
 - (4) #10-16 X 1.0" #3 POINT HEX WASHER HD SELF-DRILLING SCREWS - MATERIAL: STEEL
 - (1) #8 X 2.25" FLAT HD PHILLIPS SCREWS - MATERIAL: 18-8 SS
 - (6) HEAVY DUTY 12" CABLE TIES
- (1) POLYBAGGED LOCK KIT CONTAINING (OPTIONAL):
 - (1) LOCK CAP
 - (1) LOCK CAP BASE
 - (1) #10 X .375" PAN HD PHILLIPS SCREW - MATERIAL: 18-8 SS

INSTRUCTIONS

WARRANTY

LOCK CAP

LOCK CAP
BASE

TUBE SCREW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
NATIONWIDE INDUSTRIES. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
NATIONWIDE INDUSTRIES IS PROHIBITED.

SIZE DWG.
A NO.
SCALE: 1/4 WEIGHT:

TOP PULL
GRAVITY LATCH
ZIP-LATCH®

CS--CL-7240

REV.
-

SHEET 2 OF 2