


PART #	COLOR
CH200FR-BK	BLACK

		REVISIONS		
ECR/DCR	REV.	DESCRIPTION	DATE	APPD
-	-	INITIAL RELEASE	05-29-24	-





PACKAGING INSTRUCTIONS

POLYBAG CONTAINING:

- (2) HINGE ASSEMBLIES
- (2) GATE SIDE BACK PLATES
- (2) POST SIDE BACK PLATES
- (2) GATE SHIMS - 1-5/8"
- (2) FENCE SHIMS - 2-3/8"
- (2) FENCE SHIMS - 2-5/8"
- (2) FENCE SHIMS - 2-7/8"
- (1) INSTRUCTION SHEET
- (1) WARRANTY SHEET
- POLYBAG CONTAINING:
 - (1) ADJUSTMENT WRENCH
 - (8) 1/4" WASHERS
 - (8) 1/4"-20 ACORN NUTS
 - (12) #10 X 1.25" HEX WASHER HD SD SCREWS






MATERIAL: ZINC-PLATED STEEL



DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/16"$ ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$ TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005		SELF-CLOSING ADJUSTABLE HINGE FOR ROUND POSTS	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NATIONWIDE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NATIONWIDE INDUSTRIES IS PROHIBITED.		SIZE A DWG. NO. CS--CH200FR	REV. -
SCALE: 1:2		WEIGHT:	SHEET 1 OF 1

PART #	COLOR
TRIDENT20-BK	BLACK
TRIDENT20-WH	WHITE

REVISIONS				
ECR/DCR	REV.	DESCRIPTION	DATE	APPD
-	-	INITIAL RELEASE	08-01-13	-
-	1	REVISED KEEPER MAGNET COVER AND DATE INSERT	05-05-14	-
-	2	UPDATED CS TEMPLATE	05-28-24	-



DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/16"$ ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$ TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005				
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NATIONWIDE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NATIONWIDE INDUSTRIES IS PROHIBITED.				
TOP PULL LATCH			CS--TRIDENT20	
SIZE A	DWG. NO.	REV. 2	SCALE: 1:14 WEIGHT: SHEET 1 OF 2	






PACKAGING INSTRUCTIONS

PRINTED POLYBAG CONTAINING:

- (1) TOP PULL LATCH ASSEMBLY WITH KEYS (WITH KEY TAG)
- (1) STRIKER ASSEMBLY
- (1) INSTRUCTION SHEET
- (1) WARRANTY SHEET

- POLYBAG CONTAINING:

- (1) UPPER MOUNTING BRACKET
- (1) LOWER MOUNTING BRACKET
- (11) #10 X .75" FLAT HD PHILLIPS SELF- DRILLING SCREWS - MATERIAL: 18-8 SS
- (1) #8 X .38" FLAT HD PHILLIPS SCREW - MATERIAL: 18-8 SS



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NATIONWIDE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NATIONWIDE INDUSTRIES IS PROHIBITED.

TOP PULL LATCH

SIZE	DWG.	NO.	CS--TRIDENT20	REV.	2
SCALE:1:3	WEIGHT:				SHEET 2 OF 2